


AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 33
2. AMENDMENT/MODIFICATION NO. P00003	3. EFFECTIVE DATE 03-Feb-2010	4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21D		5. PROJECT NO.(If applicable)
6. ISSUED BY ARMY CONTRACTING AGENCY-ITEC4 2461 EISENHOWER AVE ALEXANDRIA VA 22331-1700	CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMA VIRGINIA 10500 BATTLEVIEW PARKWAY, SUITE 200 MANASSAS VA 20109-2342		CODE S2404A
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) GTSI CORP. 2553 DULLES VIEW DR STE 100 HERNDON VA 20171-5219			9A. AMENDMENT OF SOLICITATION NO.	
			9B. DATED (SEE ITEM 11)	
			X	10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0045
			X	10B. DATED (SEE ITEM 13) 23-Jul-2009
CODE 8Y261	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
X D. OTHER (Specify type of modification and authority) Bilateral pursuant to Part C-1, FAR 52.212-4(c), Changes.				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: cricha101218 See Continuation Pages				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) DIRKA A. ROBINSON / CONTRACTING OFFICER TEL: 703-325-3308 EMAIL: Dirka.Robinson@conus.army.mil	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY 		16C. DATE SIGNED 04-Feb-2010
(Signature of person authorized to sign)		(Signature of Contracting Officer)		

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

SF30 CONTINUATION PAGE

a. This modification incorporates Contract Change Proposal (CCP) No. AGT0001. As a result, the descriptions for the SLINs listed in the following table are changed as shown. Changes are indicated in red font.

SLIN	Description – FROM:	Description – TO:
------	---------------------	-------------------

0001AA	<p>Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-K; Brick, 802.11 a/b/g, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-K Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>	<p>Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-K; Brick, 802.11 a/b/g, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; MC90GKAB0E-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-K Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>
0001AD	<p>HHT-A Rechargeable Battery</p> <p>Qty 1; Motorola; KT-21-61261-01; Spare Battery</p>	<p>HHT-A Rechargeable Battery</p> <p>Qty 1; Motorola; MC90GKAB0E-NI; Spare Battery</p>

0001BA	<p>Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-K; Brick, Batch, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description:Motorola MC9090-K Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>	<p>Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9000-K; Brick, Batch, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; MC90GKAB0E-NI ; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description:Motorola MC9000-K Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>
0001BD	<p>HHT-B Rechargeable Battery Qty 1; Motorola; KT-21-61261-NI; Spare Battery</p>	<p>HHT-B Rechargeable Battery Qty 1; Motorola; MC90GKAB0E-NI; Spare Battery</p>

0001CA	<p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.1 Installed</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>	<p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.1 Installed</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; MC90GKAB0E-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>
0001CD	<p>HHT-C Rechargeable Battery Qty 1; Motorola; KT-21-61261-NI Spare Battery</p>	<p>HHT-C Rechargeable Battery Qty 1; Motorola; MC90GKAB0E-NI Spare Battery</p>

0001CJ	<p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 5.0 Installed</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>	<p>Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 5.0 Installed</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; MC90GKAB0E-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>
--------	--	---

0001DA	<p>Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, Batch, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>	<p>Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9000-G; Gun, Batch, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; MC90GKAB0E-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1-24999; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9000-G Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>
0001DD	<p>HHT-D Rechargeable Battery Qty 1; Motorola; KT-21-61261-NI; Spare Battery</p>	<p>HHT-D Rechargeable Battery Qty 1; Motorola; MC90GKAB0E-NI; Spare Battery</p>

0001EA	<p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, Lorax, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, Lorax, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>	<p>Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, Lorax, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; MC90GKAB0E-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, Lorax, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>
0001ED	<p>HHT-E Rechargeable Battery</p> <p>Qty 1; Motorola; KT-21-61261-NI; Spare Battery</p>	<p>HHT-E Rechargeable Battery</p> <p>Qty 1; Motorola; MC90GKAB0E-NI; Spare Battery</p>

0001FA	<p>Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, DPM, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, DPM, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>	<p>Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, DPM, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; MC90GKAB0E-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, DPM, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup</p>
--------	--	---

0001FD	<p>HHT-F Rechargeable Battery</p> <p>Qty 1; Motorola; KT-21-61261-01; Spare Battery</p>	<p>HHT-F Rechargeable Battery</p> <p>Qty 1; Motorola; MC90GKAB0E-NI; Spare Battery</p>
0009AA	<p>Portable/Wearable Bar Code Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra, P4D-0U100000-00, P4T Printer Qty 1; Zebra, K18913-002, AC adapter Qty 1; Zebra, AK18913-001, Operating battery Qty 1; Zebra, AK18913-001, Spare battery Qty 1; Zebra, AK17594-343, Portable Printer Cable RW CABLE TO interface to HHT-C SYMBOL MC9000-G 8' COILED AP (DTR) Qty 1; Zebra, AK18666-1 , USB cable</p> <p>Complete Description: Zebra P4T mobile thermal transfer bar code label printer, USB 2.0 serial connection, 32 bit processor, Thermal transfer or direct thermal printing modes, Large LCD, Drop-in/pop-out media and ribbon loading, Tolerant of multiple drops up to 5' to concrete, Sensor detects gap, black bar, media, media width, door ajar and ribbon Smart battery and ribbon cartridge, Shoulder strap, Peeler, Print Speed 3 inches per second, Weight: 2.9 lbs/1.32 kg with ribbon and battery.</p>	<p>Portable/Wearable Bar Code Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra, P4D-0U100000-G1, P4T Printer Qty 1; Zebra, K18913-002, AC adapter Qty 1; Zebra, AK18913-001, Operating battery Qty 1; Zebra, AK18913-001, Spare battery Qty 1; Zebra, AK17594-343, Portable Printer Cable RW CABLE TO interface to HHT-C SYMBOL MC9000-G 8' COILED AP (DTR) Qty 1; Zebra, AK18666-1 , USB cable</p> <p>Complete Description: Zebra P4T mobile thermal transfer bar code label printer, USB 2.0 serial connection, 32 bit processor, Thermal transfer or direct thermal printing modes, Large LCD, Drop-in/pop-out media and ribbon loading, Tolerant of multiple drops up to 5' to concrete, Sensor detects gap, black bar, media, media width, door ajar and ribbon Smart battery and ribbon cartridge, Shoulder strap, Peeler, Print Speed 3 inches per second, Weight: 2.9 lbs/1.32 kg with ribbon and battery.</p>

0009BA	<p>Portable/Stationary Bar Code Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; GX420t; Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer.</p> <p>Qty 1; Zebra; 46693;USA Power Cord Qty 1; Zebra; 105850-006; USB interface cable</p> <p>Complete Description: Zebra GX420t Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer, Maximum Print Speed 6 inches per second, Weighs 3 pounds. Easily transported in carrying case X6564DW offered in CLIN 0009BB.</p>	<p>Portable/Stationary Bar Code Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; GX42-100310-00G1 Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer.</p> <p>Qty 1; Zebra; 46693;USA Power Cord Qty 1; Zebra; 105850-006; USB interface cable</p> <p>Complete Description: Zebra GX42-100310-00G1 Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer, Maximum Print Speed 6 inches per second, Weighs 3 pounds. Easily transported in carrying case X6564DW offered in CLIN 0009BB.</p>
0009CA	<p>Stationary Bar Code Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM46F-2001-0000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer</p> <p>Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server</p> <p>Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer. Kit Contents: ZM46F-2001-0000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second.</p>	<p>Stationary Bar Code Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM4G1-2001-0000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer</p> <p>Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server</p> <p>Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer. Kit Contents: ZM4G1-2001-0000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second.</p>

0009DA	<p>Stationary Bar Code Label Printer, with installed Take-Up Reel</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM46F-2001-4000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with factory installed take-up reel Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server</p> <p>Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (take-up reel included). Kit Contents: ZM46F-2001-4000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; The ZM400 (CLIN 0009DA) includes the Take-Up Reel option and will dispense a self-stripped label on demand.</p>	<p>Stationary Bar Code Label Printer, with installed Take-Up Reel</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM4G1-2001-4000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with factory installed take-up reel Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server</p> <p>Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (take-up reel included). Kit Contents: ZM4G1-2001-4000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; The ZM400 (CLIN 0009DA) includes the Take-Up Reel option and will dispense a self-stripped label on demand.</p>
0009EA	<p>Stationary Bar Code Label Printer with 802.11g/i Wireless Communications</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM46F-2001-4000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with 802.11 included Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server</p> <p>Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (802.11 included). Kit Contents: ZM46F-2001-0000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second.</p>	<p>Stationary Bar Code Label Printer with 802.11g/i Wireless Communications</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM4G1-2001-0400T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with 802.11 included Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server</p> <p>Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (802.11 included). Kit Contents: (ZM4G1-2001-0400T) (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second.</p>

0009FA	<p>Stationary Bar Code and Gen2 RFID Label Printer/Encoder</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; RZ400 (RZ47D-2001-400R0); Stationary Bar Code & Label Printer/ Encoder including peel/rewind function Qty 1; Zebra; 105850-006; USB cable Qty 1, Zebra, P1000219; external print server</p> <p>Complete Description: Zebra RZ400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer/Encoder. Kit Contents: RZ47D-2001-400R0 (RZ400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; dispenses a self-stripped label on demand.</p>	<p>Stationary Bar Code and Gen2 RFID Label Printer/Encoder</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; RZ400 (RZ4G1-2001-00R0); Stationary Bar Code & Label Printer/ Encoder including peel/rewind function Qty 1; Zebra; 105850-006; USB cable Qty 1, Zebra, P1000219; external print server</p> <p>Complete Description: Zebra RZ400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer/Encoder. Kit Contents: RZ4G1-2001-00R0 (RZ400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; dispenses a self-stripped label on demand.</p>
0009FB	<p>Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Alien Technology; 10010123; Roll of Plastic 4" by 6" Gen2 RFID Labels</p> <p>Complete Description: Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 500 labels/roll Alien Squiggle (ALN-9640)</p>	<p>Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; 10010123; Roll of Plastic 4" by 6" Gen2 RFID Labels</p> <p>Complete Description: Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 500 labels/roll Alien Squiggle (ALN-9640)</p>

0009FC	<p>Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Alien Technology; 10010122; Roll of Plastic 4" by 2" Gen2 RFID Labels</p> <p>Complete Description: Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 4x2 perfed, Alien Squiggle (ALN-9640)1000 labels/roll.</p>	<p>Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; 10010122; Roll of Plastic 4" by 2" Gen2 RFID Labels</p> <p>Complete Description: Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 4x2 perfed, Alien Squiggle (ALN-9640)1000 labels/roll.</p>
0023AA	<p>Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 6.X (Latest Version) OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 5; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus</p> <p>Qty: 5; Motorola; KT-21-61261-NI; Battery</p> <p>Qty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)</p> <p>Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host system</p> <p>Qty: 5; Apriva; BT200-T; CAC Reader</p> <p>Qty: 5; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version</p> <p>Qty: 5; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license</p> <p>Qty: 5; Motorola; KT-81680-01R; Tethered Stylus (Spare)</p> <p>Qty 5; Motorola; 2GB SD Memory Card</p> <p>Qty 5; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable</p> <p>Qty 5; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Qty: 1; Motorola; AP7131; Dual Radio 802.11a/g Access point, Plastic façade with QIG</p> <p>Qty: 1; Motorola; 50-14000-247R; AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75A</p>	<p>Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 6.X (Latest Version) OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 5; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus</p> <p>Qty: 5; Motorola; BTRY-MC90GKAB0E-NI; Battery</p> <p>Qty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)</p> <p>Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host system</p> <p>Qty: 5; Apriva; BT200-T; CAC Reader</p> <p>Qty: 5; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version</p> <p>Qty: 5; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license</p> <p>Qty: 5; Motorola; KT-81680-01R; Tethered Stylus (Spare)</p> <p>Qty 5; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card</p> <p>Qty 5; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable</p> <p>Qty 5; Motorola; 25-62166-01R; USB cable for CAC Reader setup</p> <p>Qty: 1; Motorola; AP7131; Dual Radio 802.11a/g Access point, Plastic façade with QIG</p>

Qty: 1; Motorola; 50-16000-221R; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P
 Qty: 6; Motorola; ML-2499-HPA3-01R;
 Environment: Indoor/Outdoor Antenna; Type: Dipole; Gain (Net): 4.6dBi (3.3dBi); Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees; Cable: 48 inches; Requires 25-72178-01 adapter
 Qty: 6; Motorola; 25-72178-01; RP-SMA (Male) to RP-BNC (Female) Adapter; Length 7.9 cm; Cable type: RG-316
 Qty: 1; Tessco; V14126-C60-C-6; 14X12X6 Polycarbonate 4X MIMO Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP54 compliant
 Qty: 7; Motorola; 50-16000-220R; Central Europe (Germany) power cord
 Qty: 7; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord
 Qty: 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger
 Qty: 1; Transit Case Configurations Training CD-ROM
 Qty: 1; PSI; PS12607; Transit Case

Complete Description:

Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus - 5 each; Spare Battery - 5 each; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord - 5 each; USB Cable for the cradle to the host system - 5 each; Apriva BT200-T CAC Reader - 5 each; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version - 5 each; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license - 5 each; Tethered Stylus (Spare) - 5 each; 2GB SD Memory Card - 5 each; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable - 5 each; USB cable for CAC Reader setup - 5 each; Motorola AP7131 Access Point; Dual Radio 802.11a/g, Plastic façade with QIG; Power Supply: 100- 250VAC,48.0VDC, 0.75A; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi), Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees, Cable: 48 inches, Requires 25-72178-01 adapter - 6 each; RP-SMA (Male) to RP-BNC (Female) Adapter - 6 each; Length 7.9 cm; Cable type: RG-316; Tessco 14X12X6 Polycarbonate 4X MIMO NEMA Enclosure. Incl:

Qty: 1; Motorola; 50-14000-247R; AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75A
 Qty: 1; Motorola; 50-16000-221R; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P
 Qty: 6; Motorola; ML-2499-HPA3-01R;
 Environment: Indoor/Outdoor Antenna; Type: Dipole; Gain (Net): 4.6dBi (3.3dBi); Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees; Cable: 48 inches; Requires 25-72178-01 adapter
 Qty: 6; Motorola; 25-72178-01; RP-SMA (Male) to RP-BNC (Female) Adapter; Length 7.9 cm; Cable type: RG-316
 Qty: 1; Tessco; V14126-C60-C-6; 14X12X6 Polycarbonate 4X MIMO Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP54 compliant
 Qty: 7; Motorola; 50-16000-220R; Central Europe (Germany) power cord
 Qty: 7; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord
 Qty: 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger
 Qty: 1; Transit Case Configurations Training CD-ROM
 Qty: 1; PSI; PS12607; Transit Case

Complete Description:

Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus - 5 each; Spare Battery - 5 each; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord - 5 each; USB Cable for the cradle to the host system - 5 each; Apriva BT200-T CAC Reader - 5 each; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version - 5 each; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license - 5 each; Tethered Stylus (Spare) - 5 each; 2GB SD Memory Card - 5 each; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable - 5 each; USB cable for CAC Reader setup - 5 each; Motorola AP7131 Access Point; Dual Radio 802.11a/g, Plastic façade with QIG; Power Supply: 100- 250VAC,48.0VDC, 0.75A; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi), Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees, Cable: 48 inches, Requires 25-72178-01 adapter - 6 each; RP-SMA (Male) to RP-BNC (Female) Adapter - 6 each; Length 7.9

	<p>Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP56 compliant; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case</p>	<p>cm; Cable type: RG-316; Tessco 14X12X6 Polycarbonate 4X MIMO NEMA Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP56 compliant; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case</p>
0023AB	<p>Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 5; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, Stylus Qty: 5; Motorola; KT-21-61261-NI; Battery Qty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord) Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host system Qty: 5; Apriva; BT200-T; CAC Reader Qty: 5; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 5; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 5; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 5; Motorola; 2GB SD Memory Card Qty 5; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 5; Motorola; 25-62166-01R; USB cable for CAC Reader setup Qty 1; Motorola; AP7131; Dual Radio 802.11a/g Access point, Plastic façade with QIG Qty 1; Motorola; 50-14000-247R; AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75A Qty 1; Motorola; 50-16000-221R; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P Qty 6; Motorola; ML-2499-HPA3-01R; Environment: Indoor/Outdoor Antenna; Type: Dipole; Gain (Net): 4.6dBi (3.3dBi); Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees; Cable: 48 inches; Requires 25-72178-01 adapter Qty 6; Motorola; 25-72178-01; RP-SMA (Male) to RP-BNC (Female) Adapter; Length 7.9 cm; Cable type: RG-316 Qty 1; Tessco; V14126-C60-C-6; 14X12X6 Polycarbonate 4X MIMO Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1</p>	<p>Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 5; Motorola;MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, Stylus Qty: 5; Motorola; BTRY-MC90GKAB0E-NI Battery Qty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord) Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host system Qty: 5; Apriva; BT200-T; CAC Reader Qty: 5; Credant;EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 5; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 5; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 5; SCAN DISK SDSDB-2048-A11; 2GB SD Memory Card Qty 5; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 5; Motorola; 25-62166-01R; USB cable for CAC Reader setup Qty 1; Motorola; AP7131; Dual Radio 802.11a/g Access point, Plastic façade with QIG Qty 1; Motorola; 50-14000-247R; AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75A Qty 1; Motorola; 50-16000-221R; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P Qty 6; Motorola; ML-2499-HPA3-01R; Environment: Indoor/Outdoor Antenna; Type: Dipole; Gain (Net): 4.6dBi (3.3dBi); Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees; Cable: 48 inches; Requires 25-72178-01 adapter Qty 6; Motorola; 25-72178-01; RP-SMA (Male) to RP-BNC (Female) Adapter; Length 7.9 cm; Cable type: RG-316 Qty 1; Tessco; V14126-C60-C-6; 14X12X6</p>

<p>strain relief and 6 Jumper holes), & CAT60 Lock, IP54 compliant Qty 7; Motorola; 50-16000-220R; Central Europe (Germany) power cord Qty 7; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord Qty 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger Qty 1; Transit Case Configurations Training CD-ROM Qty 1; PSI; PS12607; Transit Case</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus - 5 each; Spare Battery - 5 each; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord - 5 each; Apriva BT200-T CAC Reader - 5 each; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version - 5 each; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license - 5 each; Tethered Stylus (Spare) - 5 each; 2GB SD Memory Card - 5 each; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable - 5 each; USB cable for CAC Reader setup - 5 each; Motorola AP7131 Access Point; Dual Radio 802.11a/g, Plastic façade with QIG; Power Supply: 100- 250VAC,48.0VDC, 0.75A; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi), Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees, Cable: 48 inches, Requires 25-72178-01 adapter - 6 each; P-SMA (Male) to RP-BNC (Female) Adapter - 6 each; Length 7.9 cm; Cable type: RG-316; Tessco 14X12X6 Polycarbonate 4X MIMO NEMA Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP56 compliant; Central Europe (Germany) power cord-7 each; United Kingdom (Great Britain) power cord-7 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case</p>	<p>Polycarbonate 4X MIMO Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP54 compliant Qty 7; Motorola; 50-16000-220R; Central Europe (Germany) power cord Qty 7; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord Qty 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger Qty 1; Transit Case Configurations Training CD-ROM Qty 1; PSI; PS12607; Transit Case</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus - 5 each; Spare Battery - 5 each; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord - 5 each; Apriva BT200-T CAC Reader - 5 each; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version - 5 each; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license - 5 each; Tethered Stylus (Spare) - 5 each; 2GB SD Memory Card - 5 each; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable - 5 each; USB cable for CAC Reader setup - 5 each; Motorola AP7131 Access Point; Dual Radio 802.11a/g, Plastic façade with QIG; Power Supply: 100- 250VAC,48.0VDC, 0.75A; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi), Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees, Cable: 48 inches, Requires 25-72178-01 adapter - 6 each; P-SMA (Male) to RP-BNC (Female) Adapter - 6 each; Length 7.9 cm; Cable type: RG-316; Tessco 14X12X6 Polycarbonate 4X MIMO NEMA Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP56 compliant; Central Europe (Germany) power cord-7 each; United Kingdom (Great Britain) power cord-7 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case</p>
---	--

0023CA	<p>Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord) Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty: 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup Qty: 3; Motorola; 50-16000-220R; Central Europe (Germany) power cord Qty: 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord Qty: 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger Qty: 1; Transit Case Configurations Training CD-ROM Qty: 1; PSI; PS12612; Transit Case Qty: 1; Zebra; ZM400; Stationary Bar Code Label Printer Qty: 1; Zebra; 105850-006; USB Cable Qty: 1; Zebra; P1000219; External Print Server Qty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labels Qty: 1; Zebra; 05095BK11045; 4" wide resin ribbon</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC</p>	<p>Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories</p> <p>Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola;MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola;BTRY-MC90GKAB0E-N; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord) Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; ;EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty: 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SCANDISK SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup Qty: 3; Motorola; 50-16000-220R; Central Europe (Germany) power cord Qty: 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord Qty: 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger Qty: 1; Transit Case Configurations Training CD-ROM Qty: 1; PSI; PS12612; Transit Case Qty: 1; Zebra; ZM400; Stationary Bar Code Label Printer Qty: 1; Zebra; 105850-006; USB Cable Qty: 1; Zebra; P1000219; External Print Server Qty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labels Qty: 1; Zebra; 05095BK11045; 4" wide resin ribbon</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1,</p>
--------	---	--

	<p>line cord and US AC line cord; USB cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels</p>	<p>Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels</p>
0023CB	<p>Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; Motorola; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup Qty 3; Motorola; 50-16000-220R; Central Europe (Germany) power cord Qty 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord Qty 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger</p>	<p>Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; BTRY-MC90GKAB0E-N; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; ;EE-SLP1 CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty 1; SANDISK SDSDB-2048-A11; 2GB SD Memory Card Qty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup Qty 3; Motorola; 50-16000-220R; Central Europe (Germany) power cord Qty 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cord</p>

<p>Qty 1; Transit Case Configurations Training CD-ROM Qty 1; PSI; PS12607; Transit Case Qty: 1; Zebra; ZM400; Thermal transfer or direct thermal, Stationary Bar Code Label Printer Qty: 1; Zebra; 105850-006; USB Cable Qty: 1; Zebra; P1000219; External Print Server Qty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labels Qty: 1; Zebra; 05095BK11045; 4" wide resin ribbon</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels</p>	<p>Qty 1; Motorola; SAC9000-400R; Multiple (4) Battery Charger Qty 1; Transit Case Configurations Training CD-ROM Qty 1; PSI; PS12607; Transit Case Qty: 1; Zebra; ZM400; Thermal transfer or direct thermal, Stationary Bar Code Label Printer Qty: 1; Zebra; 105850-006; USB Cable Qty: 1; Zebra; P1000219; External Print Server Qty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labels Qty: 1; Zebra; 05095BK11045; 4" wide resin ribbon</p> <p>Complete Description: Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels</p>
--	---

- b. As a result of this modification, there is no change in the total amount obligated under the contract.
- c. All other terms and conditions remain unchanged.

SECTION SF 1449 - CONTINUATION SHEET

SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0001AA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-A) with

Abbreviated Keypad and Wireless (802.11g/i) Communications Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-K; Brick, 802.11 a/b/g, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty: 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty: 1; Motorola; 2GB SD Memory Card Qty: 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty: 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup Complete Description: Motorola MC9090-K Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup to "Hand Held Barcode Terminal (HHT-A) with Abbreviated Keypad and Wireless (802.11g/i) Communications Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-K; Brick, 802.11 a/b/g, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; MC90GKAB0E-NI ; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License Data-At-Rest, Latest AIA-APL approved version Qty: 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty: 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty: 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory Card Qty: 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable Qty: 1; Motorola; 25-62166-01R; USB cable for CAC Reader setup Complete Description: Motorola MC9090-K Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup ".

SUBCLIN 0001AD

The CLIN extended description has changed from HHT-A Rechargeable Battery HHT-A Rechargeable Battery Qty: 1; Motorola; KT-21-61261-01; Spare Battery to HHT-A Rechargeable Battery Qty: 1; Motorola; MC90GKAB0E-NI; Spare Battery".

SUBCLIN 0001BA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1; Motorola; MC9090-K; Brick, Batch, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, Stylus Qty: 1; Motorola; KT-21-61261-NI; Battery Qty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host system Qty: 1; Apriva; BT200-T; CAC Reader Qty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license Qty: 1; Motorola; KT-81680-01R; Tethered Stylus (Spare) Qty: 1; Motorola; 2GB SD

Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-K Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup to Hand Held Barcode Terminal (HHT-B) with Abbreviated Keypad and Batch Communications (No Wireless Capability)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9000-K; Brick, Batch, Imager, Color, 128/128MB, 43 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; MC90GKAB0E-NI ; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9000-K Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 43 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup.

SUBCLIN 0001BD

The CLIN extended description has changed from HHT-B Rechargeable BatteryHHT-B Rechargeable BatteryQty 1; Motorola; KT-21-61261-NI; Spare Battery to HHT-B Rechargeable BatteryQty 1; Motorola; MC90GKAB0E-NI; Spare Battery.

SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x InstalledHand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.1 InstalledIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.1 InstalledIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1,

Audio/Voice/BT, Battery, StylusQty: 1; Motorola; MC90GKAB0E-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK; SDSDB-2048-A11;2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup.

SUBCLIN 0001CD

The CLIN extended description has changed from HHT-C Rechargeable BatteryHHT-C Rechargeable BatteryQty 1; Motorola; KT-21-61261-NI Spare Battery to HHT-C Rechargeable BatteryQty 1; Motorola; MC90GKAB0E-NI Spare Battery.

SUBCLIN 0001CJ

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad, Wireless (802.11g/i) Communications, and Win Mobile 5.0 InstalledHand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 5.0 InstalledIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 5.0 InstalledIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; MC90GKAB0E-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credan; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva

BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup.

SUBCLIN 0001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, Batch, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9000-G; Gun, Batch, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; MC90GKAB0E-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1-24999; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9000-G Hand Held Computer, Batch, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Windows Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup.

SUBCLIN 0001DD

The CLIN extended description has changed from HHT-D Rechargeable BatteryHHT-D Rechargeable BatteryQty 1; Motorola; KT-21-61261-NI; Spare Battery to HHT-D Rechargeable BatteryQty 1; Motorola; MC90GKAB0E-NI; Spare Battery.

SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part

D, paragraph 4.1.6)Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, Lorax, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, Lorax, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus, Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, Lorax, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola;MC90GKAB0E-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK; SDSDB-2048-A11; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, Lorax, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup.

SUBCLIN 0001ED

The CLIN extended description has changed from HHT-E Rechargeable BatteryHHT-E Rechargeable BatteryQty 1; Motorola; KT-21-61261-NI; Spare Battery to HHT-E Rechargeable Battery Qty 1; Motorola; MC90GKAB0E-NI; Spare Battery.

SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsHand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, DPM, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R;

USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, DPM, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) CommunicationsIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, DPM, 802.11 a/b/g, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; MC90GKAB0E-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK; SDSDB-2048-A11;; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupComplete Description:Motorola MC9090-G Hand Held Computer, DPM, 802.11 a/b/g, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup.

SUBCLIN 0001FD

The CLIN extended description has changed from HHT-F Rechargeable BatteryHHT-F Rechargeable BatteryQty 1; Motorola; KT-21-61261-01; Spare Battery to HHT-F Rechargeable BatteryQty 1; Motorola; MC90GKAB0E-NI; Spare Battery.

SUBCLIN 0009AA

The CLIN extended description has changed from Portable/Wearable Bar Code Label PrinterPortable/Wearable Bar Code Label PrinterIncludes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra, P4D-0U100000-00, P4T PrinterQty 1; Zebra, K18913-002, AC adapterQty 1; Zebra, AK18913-001, Operating batteryQty 1; Zebra, AK18913-001, Spare batteryQty 1; Zebra, AK17594-343, Portable Printer Cable RW CABLE TO interface to HHT-C SYMBOL MC9000-G 8' COILED AP (DTR) Qty 1; Zebra, AK18666-1 , USB cable Complete Description: Zebra P4T mobile thermal transfer bar code label printer, USB 2.0 serial connection, 32 bit processor, Thermal transfer or direct thermal printing modes, Large LCD, Drop-in/pop-out media and ribbon loading, Tolerant of multiple drops up to 5' to concrete, Sensor detects gap, black bar, media, media width, door ajar and ribbon Smart battery and ribbon cartridge, Shoulder strap, Peeler, Print Speed 3 inches per second, Weight: 2.9 lbs/1.32 kg with ribbon and battery. to Portable/Wearable Bar Code Label PrinterIncludes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra, P4D-0U100000-G1, P4T PrinterQty 1; Zebra, K18913-002, AC adapterQty 1; Zebra, AK18913-001, Operating batteryQty 1; Zebra, AK18913-001, Spare batteryQty 1; Zebra, AK17594-343, Portable Printer Cable RW CABLE TO interface to HHT-C SYMBOL MC9000-G 8' COILED AP (DTR) Qty 1; Zebra, AK18666-1 , USB cableComplete Description: Zebra P4T mobile thermal transfer bar code label printer, USB 2.0 serial connection, 32 bit processor, Thermal transfer or direct thermal printing modes, Large LCD, Drop-in/pop-out media and ribbon loading, Tolerant of multiple drops up to 5' to concrete, Sensor detects gap, black bar, media, media width, door ajar and ribbon Smart battery and ribbon cartridge, Shoulder strap, Peeler, Print Speed 3 inches per second, Weight: 2.9 lbs/1.32 kg with ribbon and battery..

SUBCLIN 0009BA

The CLIN extended description has changed from Portable/Stationary Barcode Label Printer Portable/Stationary Bar Code Label Printer Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; GX420t; Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer. Qty 1; Zebra; 46693; USA Poswer Cord Qty 1; Zebra; 105850-006; USB interface cable Complete Description: Zebra GX420t Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer, Maximum Print Speed 6 inches per second, Weighs 3 pounds. Easily transported in carrying case X6564DW offered in CLIN 0009BB. to Portable/Stationary Bar Code Label Printer Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; GX42-100310-00G1 Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer. Qty 1; Zebra; 46693; USA Poswer Cord Qty 1; Zebra; 105850-006; USB interface cable Complete Description: Zebra GX42-100310-00G1 Direct thermal/thermal transfer Portable/Stationary Bar Code Label Printer, Maximum Print Speed 6 inches per second, Weighs 3 pounds. Easily transported in carrying case X6564DW offered in CLIN 0009BB. .

SUBCLIN 0009CA

The CLIN extended description has changed from Stationary Bar Code Label Printer Stationary Bar Code Label Printer Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM46F-2001-0000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer. Kit Contents: ZM46F-2001-0000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second. to Stationary Bar Code Label Printer Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM4G1-2001-0000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer. Kit Contents: ZM4G1-2001-0000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second..

SUBCLIN 0009DA

The CLIN extended description has changed from Stationary Bar Code Label Printer, with Installed Take-Up Reel Stationary Bar Code Label Printer, with installed Take-Up Reel Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM46F-2001-4000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with factory installed take-up reel Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (take-up reel included). Kit Contents: ZM46F-2001-4000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; The ZM400 (CLIN 0009DA) includes the Take-Up Reel option and will dispense a self-stripped label on demand. to Stationary Bar Code Label Printer, with installed Take-Up Reel Includes: (Qty; Mfr; Model Number; Desc.); Qty 1; Zebra; ZM400 (ZM4G1-2001-4000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with factory installed take-up reel Qty 1; Zebra; 105850-006; USB cable Qty 1; Zebra; P1000219; external print server Complete Description: Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (take-up reel included). Kit Contents: ZM4G1-2001-4000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; The ZM400 (CLIN 0009DA) includes the Take-Up Reel option and will

dispense a self-stripped label on demand..

SUBCLIN 0009EA

The CLIN extended description has changed from Stationary Bar Code Label Printer with 802.11g/i Wireless CommunicationsStationary Bar Code Label Printer with 802.11g/i Wireless CommunicationsIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Zebra; ZM400 (ZM46F-2001-4000T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with 802.11 included Qty 1; Zebra; 105850-006; USB cableQty 1; Zebra; P1000219; external print serverComplete Description:Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (802.11 included). Kit Contents: ZM46F-2001-0000T (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second. to Stationary Bar Code Label Printer with 802.11g/i Wireless CommunicationsIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Zebra; ZM400 (ZM4G1-2001-0400T); Thermal transfer or direct thermal, Stationary Bar Code Label Printer, with 802.11 included Qty 1; Zebra; 105850-006; USB cableQty 1; Zebra; P1000219; external print serverComplete Description:Zebra ZM400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer (802.11 included). Kit Contents: (ZM4G1-2001-0400T) (ZM400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second..

SUBCLIN 0009FA

The CLIN extended description has changed from Stationary Bar Code and Gen2 RFID Label Printer/EncoderStationary Bar Code and Gen2 RFID Label Printer/EncoderIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Zebra; RZ400 (RZ47D-2001-400R0) ; Stationary Bar Code & Label Printer/ Encoder including peel/rewind functionQty 1; Zebra; 105850-006; USB cableQty 1, Zebra, P1000219; external print serverComplete Description:Zebra RZ400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer/Encoder. Kit Contents: RZ47D-2001-400R0 (RZ400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; dispenses a self-stripped label on demand. to Stationary Bar Code and Gen2 RFID Label Printer/EncoderIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Zebra; RZ400 (RZ4G1-2001-00R0) ; Stationary Bar Code & Label Printer/ Encoder including peel/rewind functionQty 1; Zebra; 105850-006; USB cableQty 1, Zebra, P1000219; external print serverComplete Description:Zebra RZ400 Thermal transfer or direct thermal, Stationary Bar Code Label Printer/Encoder. Kit Contents: RZ4G1-2001-00R0 (RZ400 Printer), 105850-006 (USB cable), P1000219 (ext print server). Built-in diagnostic display and keypad for configuration & troubleshooting; bi-directional Parallel, USB 2.0, and Ethernet communications ports; USB interface cable included; capable of printing on-demand for at least 16 hr/day; Maximum roll diameter 8.0"; Automatic calibration; Print Speed: 203 dpi: 10"/254 mm per second; dispenses a self-stripped label on demand..

SUBCLIN 0009FB

The CLIN extended description has changed from Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label PrinterRoll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label PrinterIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Alien Technology; 10010123; Roll of Plastic 4" by 6" Gen2 RFID Labels Complete Description:Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 500 labels/roll Alien Squiggle (ALN-9640) to Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll)

for Stationary BC Label PrinterIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Zebra; 10010123; Roll of Plastic 4" by 6" Gen2 RFID Labels Complete Description:Roll of Plastic 4" by 6" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 500 labels/roll Alien Squiggle (ALN-9640).

SUBCLIN 0009FC

The CLIN extended description has changed from Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label PrinterRoll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label PrinterIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Alien Technology; 10010122; Roll of Plastic 4" by 2" Gen2 RFID Labels Complete Description:Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 4x2 perfed, Alien Squiggle (ALN-9640)1000 labels/roll. to Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label PrinterIncludes: (Qty; Mfr; Model Number; Desc.);Qty 1; Zebra; 10010122; Roll of Plastic 4" by 2" Gen2 RFID Labels Complete Description:Roll of Plastic 4" by 2" Gen2 RFID Labels - General Purpose - (8 inch diameter roll) for Stationary BC Label Printer. 4x2 perfed, Alien Squiggle (ALN-9640)1000 labels/roll. .

SUBCLIN 0023AA

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/i wireless communicationsTransit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 6.X (Latest Version) OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 5; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 5; Motorola; KT-21-61261-NI; BatteryQty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host systemQty: 5; Apriva; BT200-T; CAC ReaderQty: 5; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 5; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty: 5; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 5; Motorola; 2GB SD Memory CardQty 5; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 5; Motorola; 25-62166-01R; USB cable for CAC Reader setupQty: 1; Motorola; AP7131; Dual Radio 802.11a/g Access point, Plastic façade with QIGQty: 1; Motorola; 50-14000-247R; AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75AQty: 1; Motorola; 50-16000-221R; AC Line Cord, 1.8M, grounded, USA NEMA 5-15PQty: 6; Motorola; ML-2499-HPA3-01R; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi); Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees; Cable: 48 inches; Requires 25-72178-01 adapterQty: 6; Motorola; 25-72178-01; RP-SMA (Male) to RP-BNC (Female) Adapter; Length 7.9 cm; Cable type: RG-316Qty: 1; Tessco; V14126-C60-C-6; 14X12X6 Polycarbonate 4X MIMO Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP54 compliantQty: 7; Motorola; 50-16000-220R; Central Europe (Germany) power cordQty: 7; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cordQty: 1; Motorola; SAC9000-400R; Multiple (4) Battery ChargerQty: 1; Transit Case Configurations Training CD-ROMQty: 1; PSI; PS12607; Transit CaseComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus - 5 each; Spare Battery - 5 each; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord - 5 each; USB Cable for the cradle to the host system - 5 each; Apriva BT200-T CAC Reader - 5 each; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version - 5 each; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license - 5 each; Tethered Stylus (Spare) - 5 each; 2GB SD Memory Card - 5 each; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable - 5 each; USB cable for CAC Reader setup - 5 each; Motorola AP7131 Access Point; Dual Radio 802.11a/g, Plastic façade with QIG; Power Supply: 100- 250VAC,48.0VDC, 0.75A; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi), Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees, Cable: 48 inches, Requires 25-72178-01 adapter - 6 each; RP-SMA (Male) to RP-BNC (Female) Adapter - 6 each; Length 7.9 cm; Cable type:

RG-316; Tessco 14X12X6 Polycarbonate 4X MIMO NEMA Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP56 compliant; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 6.X (Latest Version) OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 5; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 5; Motorola; BTRY-MC90GKAB0E-NI; BatteryQty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host systemQty: 5; Apriva; BT200-T; CAC ReaderQty: 5; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 5; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty: 5; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 5; SANDISK; SDSDB-2048-A11; 2GB SD Memory CardQty 5; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 5; Motorola; 25-62166-01R; USB cable for CAC Reader setupQty: 1; Motorola; AP7131; Dual Radio 802.11a/g Access point, Plastic façade with QIGQty: 1; Motorola; 50-14000-247R; AP-7131 Power Supply: 100-250VAC,48.0VDC, 0.75AQty: 1; Motorola; 50-16000-221R; AC Line Cord, 1.8M, grounded, USA NEMA 5-15PQty: 6; Motorola; ML-2499-HPA3-01R; Environment: Indoor/Outdoor Antenna; Type: Dipole; Gain (Net): 4.6dBi (3.3dBi); Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees; Cable: 48 inches; Requires 25-72178-01 adapterQty: 6; Motorola; 25-72178-01; RP-SMA (Male) to RP-BNC (Female) Adapter; Length 7.9 cm; Cable type: RG-316Qty: 1; Tessco; V14126-C60-C-6; 14X12X6 Polycarbonate 4X MIMO Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP54 compliantQty: 7; Motorola; 50-16000-220R; Central Europe (Germany) power cordQty: 7; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cordQty: 1; Motorola; SAC9000-400R; Multiple (4) Battery ChargerQty: 1; Transit Case Configurations Training CD-ROMQty: 1; PSI; PS12607; Transit CaseComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus - 5 each; Spare Battery - 5 each; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord - 5 each; USB Cable for the cradle to the host system - 5 each; Apriva BT200-T CAC Reader - 5 each; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version - 5 each; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license - 5 each; Tethered Stylus (Spare) - 5 each; 2GB SD Memory Card - 5 each; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable - 5 each; USB cable for CAC Reader setup - 5 each; Motorola AP7131 Access Point; Dual Radio 802.11a/g, Plastic façade with QIG; Power Supply: 100- 250VAC,48.0VDC, 0.75A; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi), Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees, Cable: 48 inches, Requires 25-72178-01 adapter - 6 each; RP-SMA (Male) to RP-BNC (Female) Adapter - 6 each; Length 7.9 cm; Cable type: RG-316; Tessco 14X12X6 Polycarbonate 4X MIMO NEMA Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP56 compliant; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case.

SUBCLIN 0023AB

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communicationsTransit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 5; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, StylusQty: 5; Motorola; KT-21-61261-NI; BatteryQty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host system to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS , Full Keypad and 802.11g/i wireless communications, Radio Frequency Access Point (NEMA Enclosure)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 5; Motorola;MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, StylusQty: 5; Motorola; BTRY-MC90GKAB0E-NI BatteryQty: 5; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)Qty: 5; Motorola; 25-64936-01R; USB Cable for the cradle to the host systemQty: 5; Apriva;

BT200-T; CAC ReaderQty: 5; Credant;EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 5; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 5; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 5; SCAN DISK SDSDB-2048-A11; 2GB SD Memory CardQty 5; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 5; Motorola; 25-62166-01R; USB cable for CAC Reader setupQty 1; Motorola; AP7131; Dual Radio 802.11a/g Access point, Plastic façade with QIGQty 1; Motorola; 50-14000-247R; AP-7131 Power Supply: 100- 250VAC,48.0VDC, 0.75AQty 1; Motorola; 50-16000-221R; AC Line Cord, 1.8M, grounded, USA NEMA 5-15PQty 6; Motorola; ML-2499-HPA3-01R; Environment: Indoor/Outdoor Antenna; Type: Dipole; Gain (Net): 4.6dBi (3.3dBi); Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees; Cable: 48 inches; Requires 25-72178-01 adapterQty 6; Motorola; 25-72178-01; RP-SMA (Male) to RP-BNC (Female) Adapter; Length 7.9 cm; Cable type: RG-316Qty 1; Tessco; V14126-C60-C-6; 14X12X6 Polycarbonate 4X MIMO Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP54 compliantQty 7; Motorola; 50-16000-220R; Central Europe (Germany) power cordQty 7; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cordQty 1; Motorola; SAC9000-400R; Multiple (4) Battery ChargerQty 1; Transit Case Configurations Training CD-ROMQty 1; PSI; PS12607; Transit CaseComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus - 5 each; Spare Battery - 5 each; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord - 5 each; Apriva BT200-T CAC Reader - 5 each; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version - 5 each; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license - 5 each; Tethered Stylus (Spare) - 5 each; 2GB SD Memory Card - 5 each; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable - 5 each; USB cable for CAC Reader setup - 5 each; Motorola AP7131 Access Point; Dual Radio 802.11a/g, Plastic façade with QIG; Power Supply: 100- 250VAC,48.0VDC, 0.75A; AC Line Cord, 1.8M, grounded, USA NEMA 5-15P; Environment: Indoor/Outdoor Antenna, Type: Dipole; Gain (Net): 4.6dBi (3.3dBi), Beam Width: E-Plane: 31 degrees, H-Plane: 360 degrees, Cable: 48 inches, Requires 25-72178-01 adapter - 6 each; P-SMA (Male) to RP-BNC (Female) Adapter - 6 each; Length 7.9 cm; Cable type: RG-316; Tessco 14X12X6 Polycarbonate 4X MIMO NEMA Enclosure. Incl: Clear Door, Univ. Back Panel, (7) Pre-drilled holes (1 strain relief and 6 Jumper holes), & CAT60 Lock, IP56 compliant; Central Europe (Germany) power cord-7 each; United Kingdom (Great Britain) power cord-7 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case.

SUBCLIN 0023CA

The CLIN extended description has changed from Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and AccessoriesTransit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and AccessoriesIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty: 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupQty: 3; Motorola; 50-16000-220R; Central Europe (Germany) power cordQty: 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cordQty: 1; Motorola; SAC9000-400R; Multiple (4) Battery ChargerQty: 1; Transit Case Configurations Training CD-ROMQty: 1; PSI; PS12612; Transit CaseQty: 1; Zebra; ZM400; Stationary Bar Code Label PrinterQty: 1; Zebra; 105850-006; USB CableQty: 1; Zebra; P1000219; External Print ServerQty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labelsQty: 1; Zebra; 05095BK11045; 4" wide resin ribbonComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB cable for the cradle to the host system; Apriva BT200-T CAC

Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels to Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and AccessoriesIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola;MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM6.1, Audio/Voice/BT, Battery, StylusQty: 1; Motorola;BTRY-MC90GKAB0E-N; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle Kit (includes power supply and US power cord)Qty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; ;EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty: 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty: 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SCANDISK SDSDB-2048-A11; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupQty: 3; Motorola; 50-16000-220R; Central Europe (Germany) power cordQty: 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cordQty: 1; Motorola; SAC9000-400R; Multiple (4) Battery ChargerQty: 1; Transit Case Configurations Training CD-ROMQty: 1; PSI; PS12612; Transit CaseQty: 1; Zebra; ZM400; Stationary Bar Code Label PrinterQty: 1; Zebra; 105850-006; USB CableQty: 1; Zebra; P1000219; External Print ServerQty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labelsQty: 1; Zebra; 05095BK11045; 4" wide resin ribbonComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 6.1, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels.

SUBCLIN 0023CB

The CLIN extended description has changed from Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and AccessoriesTransit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and AccessoriesIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; KT-21-61261-NI; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; EE-SLP1; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; Motorola; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupQty 3; Motorola; 50-16000-220R; Central Europe (Germany) power cordQty 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cordQty 1; Motorola; SAC9000-400R; Multiple (4) Battery ChargerQty 1; Transit Case Configurations Training CD-ROMQty 1; PSI; PS12607; Transit CaseQty: 1; Zebra; ZM400; Thermal transfer or direct thermal, Stationary Bar Code Label PrinterQty: 1; Zebra; 105850-006; USB CableQty: 1; Zebra; P1000219; External Print ServerQty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labelsQty: 1; Zebra; 05095BK11045; 4" wide resin ribbonComplete Description:Motorola MC9090-G Hand Held

Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels to Transit Case Configuration, Hand Held Barcode Terminal(HHT-C) With Win Mobile 5.0, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and AccessoriesIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1; Motorola; MC9090-G; Gun, 802.11 a/b/g, Imager, Color, 128/128MB, 53 Key, WM5.0, Audio/Voice/BT, Battery, StylusQty: 1; Motorola; BTRY-MC90GKAB0E-N;; BatteryQty: 1; Motorola; CRD9000-110SR; 1-Slot Serial Cradle KitQty: 1; Motorola; 25-64396-01R; USB Cable for the cradle to the host systemQty: 1; Apriva; BT200-T; CAC ReaderQty: 1; Credant; ;EE-SLP1 CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version Qty 1; Juniper; OAC-ADD-F1CLT; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version licenseQty 1; Motorola; KT-81680-01R; Tethered Stylus (Spare)Qty 1; SANDISK SDSDB-2048-A11; 2GB SD Memory CardQty 1; Motorola; ADP9000-110R; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cableQty 1; Motorola; 25-62166-01R; USB cable for CAC Reader setupQty 3; Motorola; 50-16000-220R; Central Europe (Germany) power cordQty 3; Motorola; 50-16000-219R; United Kingdom (Great Britain) power cordQty 1; Motorola; SAC9000-400R; Multiple (4) Battery ChargerQty 1; Transit Case Configurations Training CD-ROMQty 1; PSI; PS12607; Transit CaseQty: 1; Zebra; ZM400; Thermal transfer or direct thermal, Stationary Bar Code Label PrinterQty: 1; Zebra; 105850-006; USB CableQty: 1; Zebra; P1000219; External Print ServerQty: 1; Zebra; 10008530; 8" roll of 4" x 6" plastic labelsQty: 1; Zebra; 05095BK11045; 4" wide resin ribbonComplete Description:Motorola MC9090-G Hand Held Computer, 802.11 a/b/g, Imager, Color, 128 MB RAM /128MB ROM, 53 Key, Win Mobile 5.0, Audio/Voice/BT, Battery, Stylus; Spare Battery; 1-Slot Serial Cradle Kit with Power Supply w/ DC line cord and US AC line cord; USB Cable for the cradle to the host system; Apriva BT200-T CAC Reader; CMG Shield/Device Perpetual License for Data-At-Rest, Latest AIA-APL approved version; FIPS 140-2 Odyssey Access Client, Latest AIA-APL approved version license; Tethered Stylus (Spare); 2GB SD Memory Card; MC90XX Cable Adapter (5v - 350mA) for use with Zebra printer cable or CAC Reader cable; USB cable for CAC Reader setup; Central Europe (Germany) power cord-3 each; United Kingdom (Great Britain) power cord-3 each; Multiple (4) Battery Charger, Transit Case Configurations Training CD-ROM, Transit Case; Zebra ZM400 thermal transfer or direct thermal stationary bar code label printer, USB cable, external print server, 8" roll 4"x6" plastic labels, resin ribbon for 4" labels.

(End of Summary of Changes)