



AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	20
2. AMENDMENT/MODIFICATION NO. P00007	3. EFFECTIVE DATE 21-Jul-2010	4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21D		5. PROJECT NO.(If applicable)	
6. ISSUED BY NCRCC - ITEC4 2461 EISENHOWER AVENUE ALEXANDRIA VA 22331-1700	CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMA VIRGINIA 10500 BATTLEVIEW PARKWAY, SUITE 200 MANASSAS VA 20109-2342		CODE S2404A	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) GTSI CORP. 2553 DULLES VIEW DR STE 100 HERNDON VA 20171-5219			9A. AMENDMENT OF SOLICITATION NO.		
			9B. DATED (SEE ITEM 11)		
			X	10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0045	
			X	10B. DATED (SEE ITEM 13) 23-Jul-2009	
CODE 8Y261	FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c) Changes.					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee102857 See continuation pages.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			JAMES E. JOHNSON / CONTRACTING OFFICER TEL: 703-325-3430 EMAIL: james.johnson27@us.army.mil		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
_____ (Signature of person authorized to sign)		BY  (Signature of Contracting Officer)		21-Jul-2010	

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
			J	1 20
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUESTION/PURCHASE REQ. NO. W91QZ09FYLD ID		5. PRODUCT NO. (if applicable)
6. ISSUED BY NCRCC - HEGS 2497 EISENHOWER AVENUE ALEXANDRIA VA 22304-1700	CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMA MRCNIA 10500 BATTLEMEW PARKWAY, SUITE 200 MANASSAS VA 20108-2142		CODE S2404A
8. NAME AND ADDRESS OF CONTRACTOR (Name, Street, County, State and Zip Code) STRICORP 2563 DULLES VIEW DR STE 100 HERNDON VA 20171-5219			9A. AMENDMENT OF SOLICITATION NO.	
			9B. DATED (SEE ITEM 11)	
			X 10A. MOD. OF CONTRACT ORDER NO. W91QUZ-09-D-0045	
			X 10B. DATED (SEE ITEM 13) 23-Jul-2009	
CODE BY261		FACILITY CODE		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer: <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and retaining _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (if required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in pricing, office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c) Changes.				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible) Modification Control Number: gjm0gee102857 See continuation pages.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print) ELLEN M. HUDSON CONTRACT GENERAL MANAGER		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED 7/19/2010	16D. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)	15C. DATE SIGNED	

EXCEPTION TO SF 30
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)
Prescribed by GSA
FAR (48 CFR) 53.243

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:SF 30 CONT'D

A. This modification incorporates Contract Change Proposals (CCPs) No. AGT004 and AGT005. As a result of incorporation of the CCPs, descriptions for the SLINs listed in the following table are changed as shown. Changes are indicated in red font.

SLIN	Description – CHANGED TO:
0005AA and 1005AA	<p>Imager for PC Input - General Bar Code (w/Data Conversion)</p> <p>Qty 1; Motorola; DS3508SR; Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start Guide Qty 1; Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. Coiled Qty 1; Motorola; 20-67176-01R; Desk Top Holder</p> <p>Complete Description: Motorola DS3508SR Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start Guide, USB Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder</p>
0005BA and 1005BA	<p>Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)</p> <p>Qty 1; Motorola; DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide Qty 1; Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. Coiled Qty 1; Motorola; 20-67176-01R; Desk Top Holder</p> <p>Complete Description: Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, USB Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder</p>
0021AA and 1021AA	<p>IUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and software</p> <p>Includes: (Qty; MFR; Model Number; Descr.): Qty: 1: Metro Fabricating; SCE-WLFP; Mobile Laser Marking Cart, 4 heavy duty swivel casters, 4", 2 locking, 25' 120v 20amp cord, WxDxH Qty: 1: ElectroX; Enclosure, Rev 1; D-Box Packaged Laser Marking Enclosure with integrated HEPA filtration fume extraction system, adjustable marking platform with registration holes/pins, lift-up door and laser safe viewing window Qty: 1: ElectroX; Raptor II EFT Enhanced Fiber; Raptor II EFT Enhanced Laser integrated in above Qty: 1: Zebra; ZM400; ZM400 Stationary Bar Code Stationary Bar Code Label Printer Qty: 1: Zebra; 105850-006; USB Cable Qty: 1: Zebra; P1000219; External Print Server Qty: 1: Zebra; 1381-001; DesignerPro label design and printing software Qty: 1: Cognex; DataMan 100V; UID Compliance Verifier for direct part marks Qty: 1: Motorola; DS3407-DP; DS3407-DP Scanner, Imager with DPM, Image Transfer, Yellow/Black, Quick Start Guide Qty: 1: Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. Coiled Qty: 1: Motorola; 20-67176-01R; Desk Top Holder Qty: 1: Freedom Technologies; ID Advantage - UID Module; UID Marking and verification software Qty: 1: Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM,</p>

	<p>160GB HDD, 13.3" daylight viewable touch screen Qty: 1: APC; Smart-UPS XL 3000VA; Smart-UPS 3000VA 120V UPS</p> <p>Complete Description: Integrated UID Part Marking Cart; cart, 4 heavy duty swivel wheels (2 locking), 25' 120V 20amp cord; Electrox D-Box system, Raptor II EF Enhanced laser, HEPA filter fume extraction, adjustable marking platform; Zebra ZM400 Bar Code Stationary Printer, USB cable, external print server, DesignPro software; Cognex DataMan 100V DPM compliance verifier; Motorola DS3407-DP scanner & imager; Motorola Intellistand for DS series, ID Advantage UID marking and compliance verification software; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; Smart-UPS 3000VA 120V UPS</p>
0023DA and 1023DA	<p>Transit Case Configuration, Small Arms Room Kit Includes: (Qty; Mfr; Model Number; Desc.); Qty: 1 - PSI; PS12613; Transit Case with foam inserts Qty: 1 - Motorola DS3508DP Scanner, Imager Qty: 1 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 1 - Motorola; 20-67176-01R; Desk Top Holder Qty: 1 - HP; CB366A#201; LaserJet P2015 B&W Laser Printer Qty: 1 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 1 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 1 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 1 - Topaz; ST-S460-HSB; Signature Pad Qty: 1 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 1 -Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 1 - HP; RB146AA#ABA; 15" Touchscreen Display</p> <p>Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector.</p>

0023DB and 1023DB	<p>Transit Case Configuration, Small Arms Room Kit (Lot of 50) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 50 - PSI; PS12613; Transit Case with foam inserts Qty: 50 - Motorola DS3508DP Scanner, Imager Qty: 50 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 50 - Motorola; 20-67176-01R; Desk Top Holder Qty: 50 - HP LaserJet P2035 B&W Laser Printer Qty: 50 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 50 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 50 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 50 - Topaz; ST-S460-HSB; Signature Pad Qty: 50 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 50 -Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 50 - HP; RB146AA#ABA; 15" Touchscreen Display</p> <p>Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector.</p>
-------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

0023DC and 1023DC	<p>Transit Case Configuration, Small Arms Room Kit (Lot of 100) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 100 - PSI; PS12613; Transit Case with foam inserts Qty: 100 - Motorola DS3508DP Scanner, Imager Qty: 100 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 100 - Motorola; 20-67176-01R; Desk Top Holder Qty: 100 - HP LaserJet P2035 B&W Laser Printer Qty: 100 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 100 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 100 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 100 - Topaz; ST-S460-HSB; Signature Pad Qty: 100 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 100 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 100 - HP; RB146AA#ABA; 15" Touchscreen Display</p> <p>Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector.</p>
-------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

0023DD and 1023DD	<p>Transit Case Configuration, Small Arms Room Kit (Lot of 250) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 250 - PSI; PS12613; Transit Case with foam inserts Qty: 250 - Motorola DS3508DP Scanner, Imager Qty: 250 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 250 - Motorola; 20-67176-01R; Desk Top Holder Qty: 250 - HPLaserJet P2035 B&W Laser Printer Qty: 250 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 250 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 250 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 250 - Topaz; ST-S460-HSB; Signature Pad Qty: 250 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 250 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 250 - HP; RB146AA#ABA; 15" Touchscreen Display</p> <p>Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; tronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector.</p>
-------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

0023DE and 1023DE	<p>Transit Case Configuration, Small Arms Room Kit (Lot of 500) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 500 - PSI; PS12613; Transit Case with foam inserts Qty: 500- Motorola DS3508DP Scanner, Imager Qty: 500 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 500 - Motorola; 20-67176-01R; Desk Top Holder Qty: 500 - HP LaserJet P2035 B&W Laser Printer Qty: 500 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 500 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 500 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 500 - Topaz; ST-S460-HSB; Signature Pad Qty: 500 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 500 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 500 - HP; RB146AA#ABA; 15" Touchscreen Display</p> <p>Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector.</p>
-------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

B. As a result of this modification, there is no change in the total amount obligated under the contract.

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

SECTION SF 1449 - CONTINUATION SHEET

SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0005AA

The CLIN extended description has changed from Imager for PC Input - General Bar Code (w/Data Conversion)Imager for PC Input - General Bar Code (w/Data Conversion)Qty 1; Motorola; DS3408; Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start GuideQty 1; Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. CoiledQty 1; Motorola; 20-67176-01R; Desk Top HolderComplete Description:Motorola DS3408 Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start Guide, USB

Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder to Imager for PC Input - General Bar Code (w/Data Conversion)Imager for PC Input - General Bar Code (w/Data Conversion)Qty 1; Motorola; DS3508SR; Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start GuideQty 1; Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. CoiledQty 1; Motorola; 20-67176-01R; Desk Top HolderComplete Description:Motorola DS3508SR Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start Guide, USB Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder.

SUBCLIN 0005BA

The CLIN extended description has changed from Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Qty 1; Motorola; DS3407; Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start GuideQty 1; Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. CoiledQty 1; Motorola; 20-67176-01R; Desk Top HolderComplete Description:Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, USB Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder to Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Qty 1; Motorola; DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start GuideQty 1; Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. CoiledQty 1; Motorola; 20-67176-01R; Desk Top HolderComplete Description:Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, USB Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder.

SUBCLIN 0021AA

The CLIN extended description has changed from IUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and softwareIUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and softwareIncludes: (Qty; MFR; Model Number; Descr.):Qty: 1: Metro Fabricating; SCE-WLFP; Mobile Laser Marking Cart, 4 heavy duty swivel casters, 4", 2 locking, 25' 120v 20amp cord, WxDxHQty: 1: ElectroX; Enclosure, Rev 1; D-Box Packaged Laser Marking Enclosure with integrated HEPA filtration fume extraction system, adjustable marking platform with registration holes/pins, lift-up door and laser safe viewing windowQty: 1: ElectroX; Raptor II EFT Enhanced Fiber; Raptor II EFT Enhanced Laser integrated in aboveQty: 1: Zebra; ZM400; ZM400 Stationary Bar Code Stationary Bar Code Label PrinterQty: 1: Zebra; 105850-006; USB CableQty: 1: Zebra; P1000219; External Print ServerQty: 1: Zebra; 1381-001; DesignerPro label design and printing softwareQty: 1: Cognex; DataMan 100V; UID Compliance Verifier for direct part marksQty: 1: Motorola; DS3407-DP; DS3407-DP Scanner, Imager with DPM, Image Transfer, Yellow/Black, Quick Start GuideQty: 1: Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. Coiled Qty: 1: Motorola; 20-67176-01R; Desk Top HolderQty: 1: Freedom Technologies; ID Advantage - UID Module; UID Marking and verification softwareQty: 1: Itronix; GoBook XR-1; Fully rugged GoBook XR-1, 1.83 GHz CPU, 1024 MB DDR-2 RAM, 80GB HDD, 12.1" daylight viewable touch screenQty: 1: APC; Smart-UPS XL 3000VA; Smart-UPS 3000VA 120V UPSComplete Description:Integrated UID Part Marking Cart; cart, 4 heavy duty swivel wheels (2 locking), 25' 120V 20amp cord; ElectroX D-Box system, Raptor II EF Enhanced laser, HEPA filter fume extraction, adjustable marking platform; Zebra ZM400 Bar Code Stationary Printer, USB cable, external print server, DesignPro software; Cognex DataMan 100V DPM compliance verifier; Motorola DS3407-DP scanner & imager; Motorola Intellistand for DS series, ID Advantage UID marking and compliance verification software; Itronix GoBook XR-1 rugged notebook, Core Duo 1.83GHz, 12.1" Dyanavue XGA, cam latch doors, 1024MB DDR-2 RAM, 80GB HDD, Intel 802.11ABG, Smart Card Reader, Type II PCMCIA, NiteVue™ keyboard, Windows XP, front handle; Smart-UPS 3000VA 120V UPS to IUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and softwareIUID Part Marking Integrated Configuration, includes label and part marking equipment, verifier, PC, and softwareIncludes: (Qty; MFR; Model Number; Descr.):Qty: 1: Metro Fabricating; SCE-WLFP; Mobile Laser Marking Cart, 4 heavy duty swivel casters, 4", 2 locking, 25' 120v 20amp cord, WxDxHQty: 1: ElectroX; Enclosure, Rev 1; D-Box Packaged Laser Marking Enclosure with integrated HEPA filtration fume extraction system, adjustable marking platform with registration holes/pins, lift-up door and laser safe viewing windowQty: 1: ElectroX; Raptor II EFT Enhanced Fiber; Raptor II

EFT Enhanced Laser integrated in aboveQty: 1: Zebra; ZM400; ZM400 Stationary Bar Code Stationary Bar Code Label PrinterQty: 1: Zebra; 105850-006; USB CableQty: 1: Zebra; P1000219; External Print ServerQty: 1: Zebra; 1381-001; DesignerPro label design and printing softwareQty: 1: Cognex; DataMan 100V; UID Compliance Verifier for direct part marksQty: 1: Motorola; DS3407-DP; DS3407-DP Scanner, Imager with DPM, Image Transfer, Yellow/Black, Quick Start GuideQty: 1: Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. Coiled Qty: 1: Motorola; 20-67176-01R; Desk Top HolderQty: 1: Freedom Technologies; ID Advantage - UID Module; UID Marking and verification softwareQty: 1: Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 1: APC; Smart-UPS XL 3000VA; Smart-UPS 3000VA 120V UPSComplete Description:Integrated UID Part Marking Cart; cart, 4 heavy duty swivel wheels (2 locking), 25' 120V 20amp cord; Electrox D-Box system, Raptor II EF Enhanced laser, HEPA filter fume extraction, adjustable marking platform; Zebra ZM400 Bar Code Stationary Printer, USB cable, external print server, DesignPro software; Cognex DataMan 100V DPM compliance verifier; Motorola DS3407-DP scanner & imager; Motorola Intellistand for DS series, ID Advantage UID marking and compliance verification software; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; Smart-UPS 3000VA 120V UPS.

SUBCLIN 0023DA

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room KitTransit Case Configuration, Small Arms Room KitIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1 - PSI; PS12613; Transit Case with foam insertsQty: 1 - Motorola DS3407; 3407 Scanner, ImagerQty: 1 - Motorola; CBA-U12-C09ZAR; USB CableQty: 1 - Motorola; 20-67176-01R; Desk Top HolderQty: 1 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 1 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 1 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook ComputerQty: 1 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 1 - Topaz; ST-S460-HSB; Signature PadQty: 1 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 1 - Tripp Lite; OMNI300NAFTA; UPS UnitQty: 1 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room KitTransit Case Configuration, Small Arms Room KitIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1 - PSI; PS12613; Transit Case with foam insertsQty: 1 - Motorola DS3508DP Scanner, ImagerQty: 1 - Motorola; CBA-U12-C09ZAR; USB CableQty: 1 - Motorola; 20-67176-01R; Desk Top HolderQty: 1 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 1 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 1 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 1 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 1 - Topaz; ST-S460-HSB; Signature PadQty: 1 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 1 - Tripp Lite; OMNI300NAFTA; UPS UnitQty: 1 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System

Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 0023DB

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit (Lot of 50)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 50 - PSI; PS12613; Transit Case with foam insertsQty: 50 - Motorola DS3407; 3407 Scanner, ImagerQty: 50 - Motorola; CBA-U12-C09ZAR; USB CableQty: 50 - Motorola; 20-67176-01R; Desk Top HolderQty: 50 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 50 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 50 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook ComputerQty: 50 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 50 - Topaz; ST-S460-HSB; Signature PadQty: 50 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 50 -Tripp Lite; OMNI300NAFTA; UPS UnitQty: 50 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit (Lot of 50)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 50 - PSI; PS12613; Transit Case with foam insertsQty: 50 - Motorola DS3508DP Scanner, ImagerQty: 50 - Motorola; CBA-U12-C09ZAR; USB CableQty: 50 - Motorola; 20-67176-01R; Desk Top HolderQty: 50 - HP LaserJet P2035 B&W Laser PrinterQty: 50 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 50 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 50 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 50 - Topaz; ST-S460-HSB; Signature PadQty: 50 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 50 -Tripp Lite; OMNI300NAFTA; UPS UnitQty: 50 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O

connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 0023DC

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations
 Transit Case Configuration, Small Arms Room Kit (Lot of 100)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 100 - PSI; PS12613; Transit Case with foam insertsQty: 100 - Motorola DS3407; 3407 Scanner, ImagerQty: 100 - Motorola; CBA-U12-C09ZAR; USB CableQty: 100 - Motorola; 20-67176-01R; Desk Top HolderQty: 100 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 100 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 100 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook ComputerQty: 100 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 100 - Topaz; ST-S460-HSB; Signature PadQty: 100 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 100 - Tripp Lite; OMNI300NAFTA; UPS UnitQty: 100 - HP; RB146AA#ABA; 15" Touchscreen Display
 Complete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations
 Transit Case Configuration, Small Arms Room Kit (Lot of 100)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 100 - PSI; PS12613; Transit Case with foam insertsQty: 100 - Motorola DS3508DP Scanner, ImagerQty: 100 - Motorola; CBA-U12-C09ZAR; USB CableQty: 100 - Motorola; 20-67176-01R; Desk Top HolderQty: 100 - HP LaserJet P2035 B&W Laser PrinterQty: 100 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 100 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 100 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 100 - Topaz; ST-S460-HSB; Signature PadQty: 100 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 100 -Tripp Lite; OMNI300NAFTA; UPS UnitQty: 100 - HP; RB146AA#ABA; 15" Touchscreen Display
 Complete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA

connector..

SUBCLIN 0023DD

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 250) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 250 - PSI; PS12613; Transit Case with foam inserts Qty: 250 - Motorola DS3407; 3407 Scanner, Imager Qty: 250 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 250 - Motorola; 20-67176-01R; Desk Top Holder Qty: 250 - HP; CB366A#201; LaserJet P2015 B&W Laser Printer Qty: 250 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 250 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook Computer Qty: 250 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 250 - Topaz; ST-S460-HSB; Signature Pad Qty: 250 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 250 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 250 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive, 320 GB 2.5" 5400RPM, Hi-Speed USB, 8MB Buffer; Tripp Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 250) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 250 - PSI; PS12613; Transit Case with foam inserts Qty: 250 - Motorola DS3508DP Scanner, Imager Qty: 250 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 250 - Motorola; 20-67176-01R; Desk Top Holder Qty: 250 - HP; LaserJet P2035 B&W Laser Printer Qty: 250 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 250 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 250 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 250 - Topaz; ST-S460-HSB; Signature Pad Qty: 250 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 250 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 250 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive, 320 GB 2.5" 5400RPM, Hi-Speed USB, 8MB Buffer; Tripp Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 0023DE

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 500) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 500 - PSI; PS12613; Transit Case with foam inserts Qty: 500- Motorola DS3407; 3407 Scanner, Imager Qty: 500 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 500 - Motorola; 20-67176-01R; Desk Top Holder Qty: 500 - HP; CB366A#201; LaserJet P2015 B&W Laser Printer Qty: 500 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 500 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook Computer Qty: 500 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 500 - Topaz; ST-S460-HSB; Signature Pad Qty: 500 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 500 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 500 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive, 320 GB 2.5" 5400RPM, Hi-Speed USB, 8MB Buffer; Tripp Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m², contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 500) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 500 - PSI; PS12613; Transit Case with foam inserts Qty: 500- Motorola DS3508DP Scanner, Imager Qty: 500 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 500 - Motorola; 20-67176-01R; Desk Top Holder Qty: 500 - HP LaserJet P2035 B&W Laser Printer Qty: 500 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 500 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 500 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 500 - Topaz; ST-S460-HSB; Signature Pad Qty: 500 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 500 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 500 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive, 320 GB 2.5" 5400RPM, Hi-Speed USB, 8MB Buffer; Tripp Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m², contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 1005AA

The CLIN extended description has changed from Imager for PC Input - General Bar Code (w/Data Conversion) Imager for PC Input - General Bar Code (w/Data Conversion) Qty 1; Motorola; DS3408; Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start Guide Qty 1; Motorola; CBA-U12-C09ZAR; USB

Cable: Power Plus Connector, 9ft. CoiledQty 1; Motorola; 20-67176-01R; Desk Top HolderComplete
 Description:Motorola DS3408 Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start Guide, USB
 Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder to Imager for PC Input - General Bar Code (w/Data
 Conversion)Imager for PC Input - General Bar Code (w/Data Conversion)Qty 1; Motorola; DS3508SR; Scanner,
 Imager with Smart Focus, Yellow/Twilight Black, Quick Start GuideQty 1; Motorola; CBA-U12-C09ZAR; USB
 Cable: Power Plus Connector, 9ft. CoiledQty 1; Motorola; 20-67176-01R; Desk Top HolderComplete
 Description:Motorola DS3508SR Scanner, Imager with Smart Focus, Yellow/Twilight Black, Quick Start Guide,
 USB Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder.

SUBCLIN 1005BA

The CLIN extended description has changed from Imager for PC Input - Reads IUID Direct Part Markings
 (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings (w/Conversion)Qty 1; Motorola; DS3407;
 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start GuideQty 1; Motorola; CBA-U12-
 C09ZAR; USB Cable: Power Plus Connector, 9ft. CoiledQty 1; Motorola; 20-67176-01R; Desk Top
 HolderComplete Description:Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight
 Black, Quick Start Guide, USB Cable: Power Plus Connector, 9ft. Coiled, Desk Top Holder to Imager for PC Input -
 Reads IUID Direct Part Markings (w/Conversion)Imager for PC Input - Reads IUID Direct Part Markings
 (w/Conversion)Qty 1; Motorola; DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black,
 Quick Start GuideQty 1; Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. CoiledQty 1;
 Motorola; 20-67176-01R; Desk Top HolderComplete Description:Motorola DS3508DP Scanner, Imager with DPM,
 Image Transfer, Yellow/Twilight Black, Quick Start Guide, USB Cable: Power Plus Connector, 9ft. Coiled, Desk
 Top Holder.

SUBCLIN 1021AA

The CLIN extended description has changed from IUID Part Marking Integrated Configuration, includes
 label and part marking equipment, verifier, PC, and softwareIUID Part Marking Integrated Configuration, includes
 label and part marking equipment, verifier, PC, and softwareIncludes: (Qty; MFR; Model Number; Descr.):Qty: 1:
 Metro Fabricating; SCE-WLFP; Mobile Laser Marking Cart, 4 heavy duty swivel casters, 4", 2 locking, 25' 120v
 20amp cord, WxDxHQty: 1: ElectroX; Enclosure, Rev 1; D-Box Packaged Laser Marking Enclosure with integrated
 HEPA filtration fume extraction system, adjustable marking platform with registration holes/pins, lift-up door and
 laser safe viewing windowQty: 1: ElectroX; Raptor II EFT Enhanced Fiber; Raptor II EFT Enhanced Laser
 integrated in aboveQty: 1: Zebra; ZM400; ZM400 Stationary Bar Code Stationary Bar Code Label PrinterQty: 1:
 Zebra; 105850-006; USB CableQty: 1: Zebra; P1000219; External Print ServerQty: 1: Zebra; 1381-001;
 DesignerPro label design and printing softwareQty: 1: Cognex; DataMan 100V; UID Compliance Verifier for direct
 part marksQty: 1: Motorola; DS3407-DP; DS3407-DP Scanner, Imager with DPM, Image Transfer, Yellow/Black,
 Quick Start GuideQty: 1: Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. Coiled Qty: 1:
 Motorola; 20-67176-01R; Desk Top HolderQty: 1: Freedom Technologies; ID Advantage - UID Module; UID
 Marking and verification softwareQty: 1: Itronix; GoBook XR-1; Fully rugged GoBook XR-1, 1.83 GHz CPU,
 1024 MB DDR-2 RAM, 80GB HDD, 12.1" daylight viewable touch screenQty: 1: APC; Smart-UPS XL 3000VA;
 Smart-UPS 3000VA 120V UPSComplete Description:Integrated UID Part Marking Cart; cart, 4 heavy duty swivel
 wheels (2 locking), 25' 120V 20amp cord; ElectroX D-Box system, Raptor II EF Enhanced laser, HEPA filter fume
 extraction, adjustable marking platform; Zebra ZM400 Bar Code Stationary Printer, USB cable, external print
 server, DesignPro software; Cognex DataMan 100V DPM compliance verifier; Motorola DS3407-DP scanner &
 imager; Motorola Intellistand for DS series, ID Advantage UID marking and compliance verification software;
 Itronix GoBook XR-1 rugged notebook, Core Duo 1.83GHz, 12.1" Dyanavue XGA, cam latch doors, 1024MB
 DDR-2 RAM, 80GB HDD, Intel 802.11ABG, Smart Card Reader, Type II PCMCIA, NiteVue™ keyboard,
 Windows XP, front handle; Smart-UPS 3000VA 120V UPS to IUID Part Marking Integrated Configuration,
 includes label and part marking equipment, verifier, PC, and softwareIUID Part Marking Integrated Configuration,
 includes label and part marking equipment, verifier, PC, and softwareIncludes: (Qty; MFR; Model Number;
 Descr.):Qty: 1: Metro Fabricating; SCE-WLFP; Mobile Laser Marking Cart, 4 heavy duty swivel casters, 4", 2
 locking, 25' 120v 20amp cord, WxDxHQty: 1: ElectroX; Enclosure, Rev 1; D-Box Packaged Laser Marking

Enclosure with integrated HEPA filtration fume extraction system, adjustable marking platform with registration holes/pins, lift-up door and laser safe viewing windowQty: 1: ElectroX; Raptor II EFT Enhanced Fiber; Raptor II EFT Enhanced Laser integrated in aboveQty: 1: Zebra; ZM400; ZM400 Stationary Bar Code Stationary Bar Code Label PrinterQty: 1: Zebra; 105850-006; USB CableQty: 1: Zebra; P1000219; External Print ServerQty: 1: Zebra; 1381-001; DesignerPro label design and printing softwareQty: 1: Cognex; DataMan 100V; UID Compliance Verifier for direct part marksQty: 1: Motorola; DS3407-DP; DS3407-DP Scanner, Imager with DPM, Image Transfer, Yellow/Black, Quick Start GuideQty: 1: Motorola; CBA-U12-C09ZAR; USB Cable: Power Plus Connector, 9ft. Coiled Qty: 1: Motorola; 20-67176-01R; Desk Top HolderQty: 1: Freedom Technologies; ID Advantage - UID Module; UID Marking and verification softwareQty: 1: Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 1: APC; Smart-UPS XL 3000VA; Smart-UPS 3000VA 120V UPSComplete Description:Integrated UID Part Marking Cart; cart, 4 heavy duty swivel wheels (2 locking), 25' 120V 20amp cord; ElectroX D-Box system, Raptor II EF Enhanced laser, HEPA filter fume extraction, adjustable marking platform; Zebra ZM400 Bar Code Stationary Printer, USB cable, external print server, DesignPro software; Cognex DataMan 100V DPM compliance verifier; Motorola DS3407-DP scanner & imager; Motorola Intellistand for DS series, ID Advantage UID marking and compliance verification software; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; Smart-UPS 3000VA 120V UPS.

SUBCLIN 1023DA

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room KitTransit Case Configuration, Small Arms Room KitIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1 - PSI; PS12613; Transit Case with foam insertsQty: 1 - Motorola DS3407; 3407 Scanner, ImagerQty: 1 - Motorola; CBA-U12-C09ZAR; USB CableQty: 1 - Motorola; 20-67176-01R; Desk Top HolderQty: 1 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 1 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 1 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook ComputerQty: 1 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 1 - Topaz; ST-S460-HSB; Signature PadQty: 1 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 1 - Tripp Lite; OMNI300NAFTA; UPS UnitQty: 1 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810F sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room KitTransit Case Configuration, Small Arms Room KitIncludes: (Qty; Mfr; Model Number; Desc.);Qty: 1 - PSI; PS12613; Transit Case with foam insertsQty: 1 - Motorola DS3508DP Scanner, ImagerQty: 1 - Motorola; CBA-U12-C09ZAR; USB CableQty: 1 - Motorola; 20-67176-01R; Desk Top HolderQty: 1 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 1 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 1 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 1 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 1 - Topaz; ST-S460-HSB; Signature PadQty: 1 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 1 - Tripp Lite; OMNI300NAFTA; UPS UnitQty: 1 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case;

Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; TrippLite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 1023DB

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit (Lot of 50)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 50 - PSI; PS12613; Transit Case with foam insertsQty: 50 - Motorola DS3407; 3407 Scanner, ImagerQty: 50 - Motorola; CBA-U12-C09ZAR; USB CableQty: 50 - Motorola; 20-67176-01R; Desk Top HolderQty: 50 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 50 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 50 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook ComputerQty: 50 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 50 - Topaz; ST-S460-HSB; Signature PadQty: 50 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 50 -Tripp Lite; OMNI300NAFTA; UPS UnitQty: 50 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; TrippLite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 50 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit (Lot of 50)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 50 - PSI; PS12613; Transit Case with foam insertsQty: 50 - Motorola DS3508DP Scanner, ImagerQty: 50 - Motorola; CBA-U12-C09ZAR; USB CableQty: 50 - Motorola; 20-67176-01R; Desk Top HolderQty: 50 - HP LaserJet P2035 B&W Laser PrinterQty: 50 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 50 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 50 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 50 - Topaz; ST-S460-HSB; Signature PadQty: 50 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 50 -Tripp Lite; OMNI300NAFTA; UPS UnitQty: 50 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch

screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 1023DC

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 100) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 100 - PSI; PS12613; Transit Case with foam inserts Qty: 100 - Motorola DS3407; 3407 Scanner, Imager Qty: 100 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 100 - Motorola; 20-67176-01R; Desk Top Holder Qty: 100 - HP; CB366A#201; LaserJet P2015 B&W Laser Printer Qty: 100 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 100 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook Computer Qty: 100 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 100 - Topaz; ST-S460-HSB; Signature Pad Qty: 100 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 100 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 100 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 100 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 100) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 100 - PSI; PS12613; Transit Case with foam inserts Qty: 100 - Motorola DS3508DP Scanner, Imager Qty: 100 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 100 - Motorola; 20-67176-01R; Desk Top Holder Qty: 100 - HP LaserJet P2035 B&W Laser Printer Qty: 100 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 100 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 100 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 100 - Topaz; ST-S460-HSB; Signature Pad Qty: 100 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 100 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 100 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300

VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 1023DD

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit (Lot of 250)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 250 - PSI; PS12613; Transit Case with foam insertsQty: 250 - Motorola DS3407; 3407 Scanner, ImagerQty: 250 - Motorola; CBA-U12-C09ZAR; USB CableQty: 250 - Motorola; 20-67176-01R; Desk Top HolderQty: 250 - HP; CB366A#201; LaserJet P2015 B&W Laser PrinterQty: 250 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 250 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook ComputerQty: 250 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 250 - Topaz; ST-S460-HSB; Signature PadQty: 250 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 250 - Tripp Lite; OMNI300NAFTA; UPS UnitQty: 250 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 250 EA ConfigurationsTransit Case Configuration, Small Arms Room Kit (Lot of 250)Includes: (Qty; Mfr; Model Number; Desc.);Qty: 250 - PSI; PS12613; Transit Case with foam insertsQty: 250 - Motorola DS3508DP Scanner, ImagerQty: 250 - Motorola; CBA-U12-C09ZAR; USB CableQty: 250 - Motorola; 20-67176-01R; Desk Top HolderQty: 250 - HPLaserJet P2035 B&W Laser PrinterQty: 250 - SYS-TEK; ST7002; Small Arms Room Management Software (installed)Qty: 250 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screenQty: 250 - General Dynamics, 50-0191-001R; Office Dock Port ReplicatorQty: 250 - Topaz; ST-S460-HSB; Signature PadQty: 250 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDDQty: 250 -Tripp Lite; OMNI300NAFTA; UPS UnitQty: 250 - HP; RB146AA#ABA; 15" Touchscreen DisplayComplete Description:PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; tronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive , 320 GB 2.5" 5400RPM, Hi-Speed USB , 8MB Buffer; Tripplite Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

SUBCLIN 1023DE

The CLIN extended description has changed from Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 500) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 500 - PSI; PS12613; Transit Case with foam inserts Qty: 500- Motorola DS3407; 3407 Scanner, Imager Qty: 500 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 500 - Motorola; 20-67176-01R; Desk Top Holder Qty: 500 - HP; CB366A#201; LaserJet P2015 B&W Laser Printer Qty: 500 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 500 - General Dynamics, 1-3I3EAY; Itronix Go-Book XR-1 Rugged Notebook Computer Qty: 500 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 500 - Topaz; ST-S460-HSB; Signature Pad Qty: 500 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 500 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 500 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3407 Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2015 B&W Laser Printer, Legal, A4 - 1200 dpi x 1200 dpi - up to 27 ppm - capacity: 300 sheets - USB; GD Itronix Co-Book XR-1 with Intel Core Duo (T2400) 2.0GHz CPU, 12.1" TFT XGA outdoor viewable Dynavue Touch screen, 1GB RAM, 80GB HDD; ATI RADEON Mobility X300 128MB Dedicated video, WinXP, Combo multi DVD-RW/CD-RW drive; CAC/smart card/Type II PCMCIA card reader; 9 cell main battery 7.2 A/Hr; Mil-std 810f sealed against water and dust intrusion (IP54); magnesium alloy casing and impact absorbing bumpers, Ports: 1x RJ-11 (wireline modem), and 1x RJ-45 10/100/1000M bit Ethernet, 3x USB 2.0, 1x serial port (9-pin), 1x external video (15-pin), 1x Firewire (IEEE 1394a), audio headphone (mini jack), microphone (mini jack); GD Office Dock for XR-1, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive, 320 GB 2.5" 5400RPM, Hi-Speed USB, 8MB Buffer; Tripp Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector. to Transit Case Configuration, Small Arms Room Kit - Lot of 500 EA Configurations Transit Case Configuration, Small Arms Room Kit (Lot of 500) Includes: (Qty; Mfr; Model Number; Desc.); Qty: 500 - PSI; PS12613; Transit Case with foam inserts Qty: 500- Motorola DS3508DP Scanner, Imager Qty: 500 - Motorola; CBA-U12-C09ZAR; USB Cable Qty: 500 - Motorola; 20-67176-01R; Desk Top Holder Qty: 500 - HP LaserJet P2035 B&W Laser Printer Qty: 500 - SYS-TEK; ST7002; Small Arms Room Management Software (installed) Qty: 500 - Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen Qty: 500 - General Dynamics, 50-0191-001R; Office Dock Port Replicator Qty: 500 - Topaz; ST-S460-HSB; Signature Pad Qty: 500 - Maxtor; STM903203OTA3E1-RK; 320GB Backup HDD Qty: 500 - Tripp Lite; OMNI300NAFTA; UPS Unit Qty: 500 - HP; RB146AA#ABA; 15" Touchscreen Display Complete Description: PSI Ruggedized rotomolded polyethylene case; Motorola DS3508DP Scanner, Imager with DPM, Image Transfer, Yellow/Twilight Black, Quick Start Guide, Power Plus USB Cable: Connector, 9ft. Coiled, Desktop Stand; SYS-TEK Sensitive Item Tracking System Software and single user, license, user guide and documentation; HP LaserJet P2035 B&W Laser Printer, up to 1200 dpi - up to 30 ppm - capacity: 300 sheets - USB; Itronix; GD8000; Fully rugged Notebook, 1.86 GHz Core Duo L9400, 2GB DDR-3 RAM, 160GB HDD, 13.3" daylight viewable touch screen; GD Office Dock for GD8000, Docking station with 2x 9-pin Serial ports, 1x 15-pin video, 1x RJ-45 10/100/1000 Ethernet, 4x USB 2.0; PS/2 port, Mono microphone interface, Stereo speaker interface, Docking I/O connector; Topaz Systems 1.5" electronic signature pad with software with passive stylus, USB interface; Maxtor External Hard drive, 320 GB 2.5" 5400RPM, Hi-Speed USB, 8MB Buffer; Tripp Lite OmniSmart 300UPS (external), AC 120 V, 180 Watt 300 VA, USB Monitoring connection, 3 output connector(s) NAFTA version; HP L5006tm Touchscreen Monitor TFT LCD display, 15" 1024 x 768 @75 Hz, brightness 230 cd/m2, contrast 400:1, response 17 ms, dot 0.297 mm, VGA connector..

(End of Summary of Changes)