

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	11
2. AMENDMENT/MODIFICATION NO. P00014	3. EFFECTIVE DATE 17-Jan-2012	4. REQUISITION/PURCHASE REQ. NO. W913AD9FQYTJ21A		5. PROJECT NO.(If applicable)	
6. ISSUED BY ARMY CONTRACTING COMMAND-NCR 200 STOVALL STREET ALEXANDRIA VA 22332-1800	CODE W91QUZ	7. ADMINISTERED BY (If other than item 6) DCMA DAYTON GYOH DCMAE-GYOH 1725 VAN PATTON DRIVE BLDG 30, AREA C WPAFB OH 45433-5302		CODE	S3605A
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) CDO TECHNOLOGIES, INC. CARRI MILLER 5200 SPRINGFIELD ST STE 320 DAYTON OH 45431-1272			9A. AMENDMENT OF SOLICITATION NO.		
			9B. DATED (SEE ITEM 11)		
			X	10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0042	
			X	10B. DATED (SEE ITEM 13) 23-Jul-2009	
CODE 04ZD8	FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. <p>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c), Changes.					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee12512 Incorporates CCP ACD015, Rev 2. See continuation pages.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			ALYSSA A. MURRAY / CONTRACTING OFFICER TEL: 703-325-5516 EMAIL: alyssa.murray@us.army.mil		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY <i>Alyssa A. Murray</i>		16C. DATE SIGNED	
(Signature of person authorized to sign)		(Signature of Contracting Officer)		19-Jan-2012	

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES
				J	1 11
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable)	
	17-Jan-2012	W913AD5FYQTJ21A			
6. ISSUED BY	CODE	7. ADMINISTERED BY (If other than item 6)		CODE	
ARMY CONTRACTING COMMAND-NCR 200 STOVALL STREET ALEXANDRIA VA 22332-1800	W91QUZ	DCMA DAYTON GYOH DCMAE-GYOH 1725 VAN PATTON DRIVE BLDG 30, AREA C WPAFB OH 45433-5302		S3605A	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				9A. AMENDMENT OF SOLICITATION NO.	
CDO TECHNOLOGIES, INC. CARRIMILLER 5200 SPRINGFIELD ST STE 320 DAYTON OH 45431-1272					
				9B. DATED (SEE ITEM 11)	
				X 10A. MOD. OF CONTRACT/ORDER NO. W91QUZ-09-D-0042	
				X 10B. DATED (SEE ITEM 13) 23-Jul-2009	
CODE	04ZD8	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended.					
<p>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:</p> <p>(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
X C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Part C-1(c), Changes.					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Modification Control Number: gjmcgee12512 Incorporates CCPACD015, Rev 2. See continuation pages.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
Mary Sherman Sr Dir Business Mgt			MURRAY.ALYSSA		
15B. CONTRACTOR/OFFEROR			15C. DATE SIGNED		
Mary Sherman			1.18.12		
(Signature of person authorized to sign)			16B. UNITED STATES OF AMERICA		
			BY A.A.1229597848		
			(Signature of Contracting Officer)		
			MURRAY.ALYSSA.A.1229597848 DN: c=US, o=U.S. Government ou=DoD, ou=PKI, ou=CG-USA, e=SIGNED cn=MURRAY.ALYSSA.A.1229597848 Date: 2012.01.19 12:21:47 -05'00'		

EXCEPTION TO SF 30
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)
Prescribed by GSA
FAR (48 CFR) 53.243

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:SF 30 CONT'D

A. This modification incorporates Contract Change Proposal (CCP) ACD015, Rev 2, submitted 22 Aug 2011. As a result of incorporation of the CCP, the contract is changed as shown in **highlighted** text in the following table:

SLIN	Description – FROM	Description – TO
0001CA 1001CA	Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R;....	Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110 SES ; USB Cable 25-64396-01R;....
0001CE 1001CE	HHT-C Multiple (4) Battery Charger Motorola SAC9000-400R,	HHT-C Multiple (4) Battery Charger Motorola SAC9000-400 CES , includes: Charger, Power Supply, AC Cord (must specify destination country at time of order).
0001DA 1001DA	Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T	Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110 SES ; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T
0001DE 1001DE	HHT-D Multiple (4) Battery Charger Motorola SAC9000-400R,	HHT-D Multiple (4) Battery Charger Motorola SAC9000-400 CES , includes: Charger, Power Supply, AC Cord (must specify destination country at time of order).
0001EA 1001EA	Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R;....	Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110 SES ; USB Cable 25-64396-01R;....
0001EE 1001EE	HHT-E Multiple (4) Battery Charger Motorola SAC9000-400R	HHT-E Multiple (4) Battery Charger Motorola SAC9000-400 CES , includes: Charger, Power Supply, AC Cord (must specify destination country at time of order).

SLIN	Description – FROM	Description – TO
0001FA 1001FA	Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R;....	Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R;....
0001FE 1001FE	HHT-F Multiple (4) Battery Charger Motorola SAC9000-400R	HHT-F Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order).
0023AA 1023AA	Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) with Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/I wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords;....	Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) with Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/I wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords;....
0023AB 1023AB	Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords;....	Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords;....

SLIN	Description – FROM	Description – TO
0023CA 1023CA	Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords;....	Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords;....
0023CB 1023CB	Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords;....	Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords;....

B. As a result of this modification, there is no change in the total amount obligated under the contract.

C. All other terms and conditions are unchanged.

SUMMARY OF CHANGES

SECTION SF 1449 - CONTINUATION SHEET

SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

SUBCLIN 0001CE

The CLIN extended description has changed from HHT-C Multiple (4) Battery Charger Motorola SAC9000-400R, to HHT-C Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 0001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T.

SUBCLIN 0001DE

The CLIN extended description has changed from HHT-D Multiple (4) Battery Charger Motorola SAC9000-400R, to HHT-D Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 0001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric

Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

SUBCLIN 0001EE

The CLIN extended description has changed from HHT-E Multiple (4) Battery Charger Motorola SAC9000-400R to HHT-E Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 0001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

SUBCLIN 0001FE

The CLIN extended description has changed from HHT-F Multiple (4) Battery Charger Motorola SAC9000-400R to HHT-F Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 0023AA

The CLIN description has changed from Transit Case Configuration foTr Five (5) to Transit Case Configuration for Five (5).

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) with Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/I wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM. to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) with Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/I wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-

GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM.

SUBCLIN 0023AB

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM. to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM..

SUBCLIN 0023CB

The CLIN extended description has changed from Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; Configuration Training CD-ROM. to Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; Configuration Training CD-ROM..

SUBCLIN 1001CA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of

Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-C) with Full Alpha-numeric Keypad and Wireless (802.11g/i) Communications, and Win Mobile 6.x Installed Motorola MC9090-GK0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

SUBCLIN 1001CE

The CLIN extended description has changed from HHT-C Multiple (4) Battery Charger Motorola SAC9000-400R, to HHT-C Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 1001DA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T to Hand Held Barcode Terminal (HHT-D) with Full Alpha-numeric Keypad and Batch Communications (No Wireless Capability) Motorola MC9000-GK0HCEQA661, includes: Spare Lithium Battery Ion 220 mAh KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T.

SUBCLIN 1001DE

The CLIN extended description has changed from HHT-D Multiple (4) Battery Charger Motorola SAC9000-400R, to HHT-D Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 1001EA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-E) with Extended Reading Range, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications (Desired - Reference Part D, paragraph 4.1.6) Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

SUBCLIN 1001EE

The CLIN extended description has changed from HHT-E Multiple (4) Battery Charger Motorola SAC9000-400R to HHT-E Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 1001FA

The CLIN extended description has changed from Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SR; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches. to Hand Held Barcode Terminal (HHT-F) with Direct Part Mark Reading Capability, Full Alpha-numeric Keypad, and Wireless (802.11g/i) Communications Motorola MC9090-GJ0HCEQA660, includes: Spare Lithium Ion 220 mAh Battery KT-21-61261-XX; 1 Slot Serial Cradle Kit CRD9000-110SES; USB Cable 25-64396-01R; CAC Hardware Interface Reader SCR331; Odyssey Access Client Software OAC-ADD-F1CLT; WM 6.1 WZC Software; Cable Adapter Module ADP9000-110R; Spare Tethered Stylus (3) KT-81680-03R; 2GB Memory Card SDSDB-2048-A11; Apriva BT-200T NOTE: Naval Surface Warfare Center, Dahlgren tested for Hazards of Electromagnetic Radiation to Ordnance (HERO) and the recommended safe distance separation is 6 inches..

SUBCLIN 1001FE

The CLIN extended description has changed from HHT-F Multiple (4) Battery Charger Motorola SAC9000-400R to HHT-F Multiple (4) Battery Charger Motorola SAC9000-400CES, includes: Charger, Power Supply, AC Cord (must specify destination country at time of order)..

SUBCLIN 1023AA

The CLIN description has changed from Transit Case Configuration foTr Five (5) to Transit Case Configuration for Five (5).

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) with Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/I wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM. to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) with Win Mobile 6.X (Latest Version) OS, Full Keypad and 802.11g/I wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM.

SUBCLIN 1023AB

The CLIN extended description has changed from Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM. to Transit Case Configuration for Five (5) Hand Held Barcode Terminals (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications. Kit includes Transit Cases (CLIN0023AC); five HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holsters; five operational and five spare rechargeable lithium-ion batteries (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; five single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; one outdoor RF Access Point Kit (CLIN0015BA); Configuration Training CD-ROM..

SUBCLIN 1023CA

The CLIN extended description has changed from Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; Configuration Training CD-ROM. to Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 6.X (Latest Version), Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEQA660) WinMobile 6.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; Configuration Training CD-ROM..

SUBCLIN 1023CB

The CLIN extended description has changed from Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holster; one operational and one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SR) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; Configuration Training CD-ROM. to Transit Case Configuration, Hand Held Barcode Terminal (HHT-C) With Win Mobile 5.0 OS, Full Keypad and 802.11g/i wireless communications, and Stationary Bar Code Label Printer and Accessories. Kit includes one complete CLIN0023BA Stationary Bar Code Label Printer and Accessories Transit Case Kit and one CLIN0023AC Transit Case with the following items: One HHT-C (Motorola MC9090-GK0HCEFA660) WinMobile 5.0 Handheld Terminals with holster; one operational and

one spare rechargeable lithium-ion battery (CLIN0001CD) for HHT; one battery multi-charger (CLIN0001CE) with power supply and cord capable of simultaneously charging four HHT batteries; one single-slot communications cradle/charging stations (Motorola CRD9000-110SES) with power supplies and cords; complete set of commercial manuals for all enclosed equipment; Configuration Training CD-ROM..

(End of Summary of Changes)